

5. SQL Querying

SQL Outline:

1. Join
2. Nullvalues
3. Aggregation and Grouping
4. Operations on Sets
5. Subqueries
6. Orthogonality of Syntax
7. Views
8. Insert, Delete and Update
9. Referential Integrity
10. Trigger
11. Outlook: Analysis

Terminology

Rows of a table are also called *tuples* and columns of a table are called *attributes*.

Join: RDB's speciality to combine tables

Country

Name	Code	Capital
Austria	A	Vienna
Egypt	ET	Cairo
France	F	Paris
Germany	D	Berlin
Italy	I	Rome
Russia	RU	Moscow
Switzerland	CH	Bern
Turkey	TR	Ankara

City

Name	Country	Inhabitants	Longitude	Latitude
Berlin	D	3472	13,2	52,45
Freiburg	D	198	7,51	47,59
Karlsruhe	D	277	8,24	49,03
Munich	D	1244	11,56	48,15
Nuremberg	D	495	11,04	49,27
Paris	F	2125	2,48	48,81
Rome	I	2546	12,6	41,8

How many people live in the capitals?

Problem: Table Country mentions capitals, but not population; table city mentions population, but does not tell us capitals! The *join* is the solution: we compute all possible pairs between rows in the two tables and select those pairs in which `Country.Capital = City.Name`!

```
SELECT A.Name, A.Capital, B.Inhabitants
FROM Country A, City B
WHERE A.Capital = B.Name;
```

Name	Capital	Inhabitants
France	Paris	2125
Germany	Berlin	3472
Italy	Rome	2546

Country

CoName	CoCode	Capital
Austria	A	Vienna
Egypt	ET	Cairo
France	F	Paris
Germany	D	Berlin
Italy	I	Rome
Russia	RU	Moscow
Switzerland	CH	Bern
Turkey	TR	Ankara

City

CiName	CoCode	Inhabitants	Longitude	Latitude
Berlin	D	3472	13,2	52,45
Freiburg	D	198	7,51	47,59
Karlsruhe	D	277	8,24	49,03
Munich	D	1244	11,56	48,15
Nuremberg	D	495	11,04	49,27
Paris	F	2125	2,48	48,81
Rome	I	2546	12,6	41,8

Join variants

Give me for each country its cities.

```
SELECT A.CoName, B.L CiName
  FROM Country A JOIN City B ON A.CoCode = B.CoCode
```

in case we want to join with respect to equal column names we have a *natural join*:

```
SELECT A.CoName, B.L CiName
  FROM Country A NATURAL JOIN City B
```

if we really want the *cartesian product*:

```
SELECT A.CoName, B.L CiName
  FROM Country A CROSS JOIN City B
```

How many people live in the capitals?

```
SELECT A.CoName, A.Capital, B.Inhabitants
FROM Country A JOIN City B
ON A.Capital = B.CiName;
```

CoName	Capital	Inhabitants
France	Paris	2125
Germany	Berlin	3472
Italy	Rome	2546

What if we like to keep the information lost in case of missing join partners?

We can fill missing partners columns by *null-values*!

```
SELECT A.CoName, A.Capital, B.Inhabitants
FROM Country A LEFT OUTER JOIN City B
ON A.Capital = B.CiName;
```

CoName	Capital	Inhabitants
Austria	Vienna	null
Egypt	Cairo	null
France	Paris	2125
Germany	Berlin	3472
Italy	Rome	2546
Russia	Moscow	null
Switzerland	Bern	null
Turkey	Ankara	null

```
SELECT A.CoName, A.Capital, B.Inhabitants
FROM Country A RIGHT OUTER JOIN City B
ON A.Capital = B.CiName;
```

CoName	Capital	Inhabitants
France	Paris	2125
Germany	Berlin	3472
Italy	Rome	2546
null	null	198
null	null	277
null	null	1244
null	null	495

use OUTER JOIN to get the union of Left and RIGHT OUTER JOIN.

Nullvalues: The Case of Missing Information

The problem having a null-value

If for a tuple the value of an attribute is not known - what could be the reason for using null?

- ▶ A value exists, however not known at the moment,
- ▶ Value will exist in the future.
- ▶ Attribute-value for that tuple unknown, in principle.
- ▶ Attribute for that tuple not applicable.

Testing for null

SQL offers to test for null by using *predicates* IS NULL, respectively, IS NOT NULL in the WHERE-clause.

```
SELECT * FROM Country  
WHERE Capital IS NOT NULL
```

Null-values in expressions.

- ▶ In arithmetic expressions $A+B$, $A+1$, etc. the result is `null`, whenever one of the operands has value `null`.
- ▶ Arithmetic comparison expressions $A=B$, $A<>B$, $A<B$, etc. have truth-value `UNKNOWN`, whenever one of the operands has value `null`.
- ▶ SQL's logic is three-valued, i.e. has truth values (t =TRUE, f =FALSE, u =UNKNOWN).

AND	t	u	f
t	t	u	f
u	u	u	f
f	f	f	f

OR	t	u	f
t	t	t	t
u	t	u	u
f	t	u	f

NOT	
t	f
u	u
f	t

Avoid null-values whenever possible!

Simple Analysis: Aggregation and Grouping

Aggregation operators

COUNT, MIN, MAX, SUM and AVG.

```
SELECT COUNT(*), COUNT(CiName), COUNT(DISTINCT CoCode),  
       MAX(Inhabitants), MIN(Inhabitants), AVG(Inhabitants)  
FROM City
```

More on DISTINCT

```
SELECT CoCode  
FROM City
```

```
SELECT DISTINCT CoCode  
FROM City
```

DISTINCT here removes duplicate rows from the result table!

Forming groups of tuples.

- ▶ Using the GROUP BY-clause we define a virtual structure on a table based on the values of the chosen attributes.
- ▶ Using the HAVING-clause only those groups are considered, which fulfill the condition stated in the HAVING-clause.

Important: in the SELECT-clause, attributes which are NOT used for grouping, are only allowed to appear as parameters of the aggregation operators!

```
SELECT CoCode, AVG(Inhabitants) FROM City  
GROUP BY CoCode
```

```
SELECT CoCode, MAX(Inhabitants) FROM City  
GROUP BY CoCode  
HAVING AVG(Inhabitants) < 2000
```


SQL's simple SFW-Expressions

SELECT A_1, \dots, A_n	Result Attribute
FROM R_1, \dots, R_m	Tables used
WHERE F	Condition on tuples
GROUP BY B_1, \dots, B_k	Grouping attributes
HAVING G	Grouping condition
ORDER BY H	Sorting

Evaluation strategy: FROM-clause first, then WHERE-clause, then GROUP-clause, then HAVING-clause, then ORDER-clause and finally SELECT-clause.

Tables are treated as sets of rows!

Set operators UNION, INTERSECT and MINUS.

Tables must have the same number of attributes and attributes on the same column-position must have *compatible* values.

```
SELECT CiName FROM City  
INTERSECT  
SELECT CoName FROM Country
```

```
SELECT CiName FROM City  
MINUS  
SELECT CoName FROM Country
```

```
SELECT CiName, 'City' AS Category FROM City  
UNION  
SELECT CoName, 'Country' AS Category FROM Country
```

Advanced Querying: Using Subqueries

A query is called *nested*, if its SELECT-, FROM-, WHERE-, or HAVING-clause does contain a SFW-expression - also called *subquery*.

To test the results of a subquery operators IN, ANY, ALL, UNIQUE, EXISTS and NOT can be used.

```
SELECT DISTINCT CiName FROM City
WHERE CoCode IN
    (SELECT CoCode FROM Country WHERE Capital = 'Berlin')
```

```
SELECT CiName FROM City
WHERE Population > ANY
    (SELECT Population FROM City)
```

```
SELECT CiName FROM City
  WHERE Population > ALL
    (SELECT Population FROM City)
```

WRONG! -
all *other* cities!

```
SELECT CiName FROM City A
  WHERE Population > ALL
    (SELECT Population FROM City B
     WHERE A.CiCode <> B.CiCode)
```

- ▶ A and B above are called *correlation variables* - the subquery is executed for each possible tuple of the outer table A; each such A-tuple is referenced by A in the subquery.
- ▶ In general, if there are several outer tables, the subquery is executed for each combination of the respective correlation variables.

```
SELECT CoName FROM Country A
  WHERE UNIQUE
    (SELECT CiName FROM City B
     WHERE A.CoCode = B.CoCode)
```

```
SELECT CoName FROM Country A
  WHERE 1 =
    (SELECT COUNT(*) FROM City B
     WHERE A.CoCode = B.CoCode)
```

Division of Tables

Membership		
<u>CoCode</u>	<u>Organization</u>	Status
A	EU	member
D	EU	member
D	WEU	member
ET	UN	member
I	EU	member
I	NAM	guest
TR	UN	member
TR	CERN	observer

Describe!

```
SELECT DISTINCT CoCode FROM Membership M
  WHERE NOT EXISTS
    ((SELECT Organization FROM Membership WHERE CoCode = 'A')
    MINUS
    (SELECT Organization FROM Membership WHERE CoCode = M.CoCode))
```

We compute all countries which are member in at least those organizations, in which Austria a member is.

This is similar to usual *Division* - why?.

Equality of tables

Remember, sets A , B are equal iff $A \subseteq B$ and $B \subseteq A$;

$A \subseteq B$ iff $A - B = \emptyset$.

Which countries exactly have the same organization as Austria?

```
SELECT DISTINCT CoCode FROM Membership M WHERE
    NOT EXISTS
        ((SELECT Organization FROM Membership WHERE CoCode = 'A')
         MINUS
         (SELECT Organization FROM Membership WHERE CoCode = M.CoCode))
    AND NOT EXISTS
        ((SELECT Organization FROM Membership WHERE CoCode = M.CoCode)
         MINUS
         (SELECT Organization FROM Membership WHERE CoCode = 'A'))
```

Nice Syntax: Orthogonality Applies

- ▶ A table-expressions can appear wherever a table could appear.
- ▶ A scalar expression can appear wherever a scalar value can appear.
- ▶ A boolean expression can appear wherever a boolean value can appear.

Table Expressions

```
SELECT Name
  FROM (SELECT CiName AS Name
        FROM City UNION
        SELECT CoName AS Name
        FROM Country) T
```

```
SELECT SUM(CitySlicker)
  FROM (SELECT CoCode, MAX(Inhabitants) AS CitySlicker
        FROM City
        GROUP BY CoCode) T
```

Scalar Expressions

```
SELECT CoName,  
       (SELECT SUM(Inhabitants) FROM City B  
        WHERE B.CoCode = A.CoCode)  
       AS CoInhabitants  
FROM Country A
```

Location		
<u>CoCode</u>	<u>Continent</u>	Percentage
D	Europe	100
F	Europe	100
TR	Asia	68
TR	Europe	32
ET	Africa	90
ET	Asia	10
RU	Asia	80
RU	Europe	20

```
SELECT DISTINCT CoCode, Percentage FROM Location  
WHERE Continent = 'Asia' AND  
       Percentage <  
       (SELECT Percentage FROM Location  
        WHERE CoCode = 'TR' AND Continent = 'Asia')
```

Boolean Expressions

Assume: INSERT INTO Country VALUES ('Wonderland', 'WO', null)

```
SELECT CiName FROM City  
WHERE CiName NOT IN (SELECT Capital FROM Country)
```

Result: empty table.

```
SELECT CiName FROM City A  
WHERE NOT EXISTS (  
    SELECT Capital FROM Country  
    WHERE Capital = A.CiName )
```

Result: Freiburg, Munich, Nuremberg, Karlsruhe.

Give the reasons!